

NOTES

ALL SANITARY SEWER MAINS ARE 150mm dia U.P.V.C. B1 CLASS SEN C/SN 16 UNLESS NOTED OTHERWISE
 ALL SANITARY SEWER CONNECTIONS ARE 100mm dia U.P.V.C. R1 CLASS SEN C/SN 14 UNLESS NOTED OTHERWISE

NOTES

ALL CP1 LAYS ARE 225 dia RORU CLASS X UNLESS NOTED OTHERWISE
 ALL CONNECTIONS ARE 100mm dia U.P.V.C. R1 CLASS SEN C/SN 14 UNLESS NOTED OTHERWISE

Revised No	DESCRIPTION	DATE
4	Issued for Approval	30/04/04
3	General Revision	3/05/04
2	General Revision	3/05/04
1	Tender Issue	07/04

Checked By	DESCRIPTION	DATE
SS	Survived	08/04
SS	Drawn	08/04
	Checked	
	Approved	

REFERENCES



S & I CONSULTANTS LTD
 SURVEYORS - ENGINEERS - PLANNERS

111 Chapman Road, Tauranga, New Zealand
 P.O. Box 581, Tauranga, New Zealand
 Fax: (07) 577-4065
 Email: info@sandiconsultants.co.nz

TITLE
 MAYFIELD
 SUBDIVISION
 STAGE 6

"DRAINAGE PLAN"
 SHEET 2 OF 2

Copyright in this drawing is reserved
 ORIGINAL SCALES
 1:500 (A1)

DRAWING No
 17018-11

Revision: 1 2 3 4

